



Source One Environmental manufactures various laminates that are composed of synthetic nonwovens and natural fiber media. Our processes include lamination, fabric printing, slitting, winding, sheeting, stacking, bonding, and sewing. Our converting operations are vast, and our equipment is state-of-the-art.



floor protection laminates - commercial and residential



flood control - super-absorbent polymer/cellulose filler




absorbent products - universal, oil-only, and chemicals

adhesive-backed mats

Adhesive-backed rugs are a common sense replacement for standard floor mats and rental mats. They stick to the floor, absorb most fluids, stop fluids from seeping through to the other side, collect debris & dirt, and withstand the most intense traffic. Our rug is a very tough nonwoven fabric that is made from needlepunched polypropylene. Wet-vac, sweep, or vacuum, and then re-use. Each mat will absorb 115 ounces of oils, water, coolants, or solvents.

AM3660-20L 36 x 60" 20 per box

Anchor Entrance Mat



Anchor Runner Mat

Our runners are 100' long, so they can be cut to custom sizes and cover long expanses. They are perfect for retail stores or in manufacturing facility walkways. They withstand abuse and can be reused over and over. Unroll what you need, cut with scissors, and easily deploy the runner where needed. Just like our Anchor entrance mats, the runners can be used multiple times, saving you money and providing a convenient alternative to rental mats and runners.

AM18100L 18" x 50' 1 roll per pack
AM36100L 36" x 100' 1 roll per pack




Common Rental Mat

Rental mats are costly and inefficient. On average, a 3 x 5' rental mat costs \$8 per week to wash and return for the next use. An Anchor entrance mat can be vacuumed, swept, or wet-vacced while stuck to the floor. You can also peel it up, set aside, clean your floor, and reapply. It's that easy. The best part about Anchor mat is that it sticks to the floor, which prevents shifting and buckling. And unlike a worn out rental mat, the edges remain intact, mostly eliminating a trip hazard.



railroad track mat

SMPF laminate
(spunbond / meltblown / poly film)



oil-only (absorbs hydrocarbon-based fluids)

Use impermeable-backed railroad track mats when refueling locomotives, at ready-station sites, and when greasing rails. The top layer (black) is UV-resistant, the center layer is highly absorbent, and the bottom layer (clear film) prevents diesel fuel, oil, and other hydrocarbon-based fluids from contaminating / leeching into the soil and ballast.

RR59100 59" x 100' 1 roll per pack
RR29100-2 29" x 100' 2 roll per pack

Both items absorb 55 gallons



flood control products

- absorbs quickly and expands to block and divert damaging flood waters

Source One barrier pillows are a common sense replacement for cumbersome sand bags. They are lightweight, economical, and simple to deploy.

Our barrier pillows quickly expand when flood water penetrates the extremely durable needlepunched polypropylene casing and contacts the super-absorbent core. The filler is a cellulose binder that is infused with super-absorbent polymers (SAP). The SAP encapsulates water and expands 30-60 times its dry volume. One flood pillow literally grows from .5" thick to 5.5" thick. Each 12 x 24" pillow will absorb up to 4.5 gallons of fresh water, create a barrier that will help divert flood waters, and protect homes and businesses from costly flood damage.

Our barrier pillows are available in 12 x 24" and 12 x 48" sizes. We also offer barrier berms for covering larger exposed areas.

** not recommended for salt water*



barrier pillows

FP1224-6	12 x 24"	6 pillows per box
FP1224-20	12 x 24"	20 pillows per box
FP1224-120	12 x 24"	120 pillows per box
FP1248-25	12 x 48"	25 pillows per box

barrier berms

FB860-2	8 x 60"	2 berms per box
FB860-26	8 x 60"	26 berms per box
FB8120-1	8 x 120"	1 berm per box
FB8120-12	8 x 120"	12 berms per box



super-absorbent aqua mats

- each mat absorbs and encapsulates up to 89 ounces of fresh water



AQUA MATS are high-capacity absorbent products that are used specifically for absorbing and encapsulating water-based fluids. This particular version is great for PLUMBING, as well as water-cooled metal working applications, such as DRILLING, CUTTING, and MILLING.

AQUA MAT is 12 x 12" and packaged 24 per box. **This compact mat is capable of absorbing 75 ounces of water.** It is available in two different configurations. One has an impermeable backing, which is great for drip catching and preventing water-based fluids from leaking through to your floor. The other version absorbs on both sides, which is great for soaking spilled fluids.



aqua mats (with impermeable backing)

AM1212B-24	12 x 12"	24 mats per box
------------	----------	-----------------

aqua mats (standard)

AM1212-24	12 x 12"	24 mats per box
-----------	----------	-----------------



meltblown polypropylene mats and rolls

- for industrial, environmental, and hazmat applications




Bonded products have an open-fiber construction, which allows for quick absorption of hydrocarbon-based fluids (oil, gasoline, diesel, etc) on either land or the surface of water. Perforated for minimizing waste, tear off what you need for small tasks.



part number	dimensions	packaging	palletizing	absorption
WM1518-100P	15" x 18"	100 mats	30 packs	32 gallons
WM1518-200L	15" x 18"	200 mats	30 packs	33 gallons
WM30150P	30" x 150'	1 roll	18 rolls	64 gallons

2-ply bonded products are great dual-textured sorbents. One side is covered with a thin layer of spunbond, which is smooth and abrasion-resistant. Absorb most fluids, (oil, water, hydraulic fluids, glycols, etc). Perforated for waste minimization, tear off what you need for small tasks.



part number	dimensions	packaging	palletizing	absorption
GSM1518-100P	15" x 18"	100 mats	30 packs	29 gallons
GSM1518-100L	15" x 18"	200 mats	30 packs	30 gallons
GSM30150P	30" x 150'	1 roll	18 rolls	58 gallons

Hazmat products have an open-fiber construction, which allows thicker fluids to quickly penetrate and absorb into the center of the product. Absorb most aggressive fluids, including acids, bases, corrosives, etc. Perforated for waste minimization, tear off what you need for small tasks.




part number	dimensions	packaging	palletizing	absorption
YM1518-100P	15" x 18"	100 mats	30 packs	29 gallons

DRUM TOP PADS fit perfectly on top of a 55-gallon drum and catch leaks/drips, keeping fluids from running down the sides of the drum. White is for hydrocarbons, and gray is universal.



part number	dimensions	packaging	palletizing	absorption
GDT2222-25	22" x 22"	25 mats	72 packs	8 gallons
WDT2222-25	22" x 22"	25 mats	72 packs	8 gallons



absorbent socks and pillows

- surrounds leaky equipment and catches general maintenance leaks



Pillows are high-capacity drip catchers that can be laid down under a leaky drum or machine, or they can be used to quickly absorb large amounts of spilled fluids. Yellow for acids, white for hydrocarbons, and gray is universal.

pillows (YP is hazmat, WP is oil-only, GP is universal)

part number	dimensions	packaging	palletizing	absorption
YP1818-16	18" x 18"	16 pillows	16 boxes	25 gallons
WP1818-16	18" x 18"	16 pillows	16 boxes	25 gallons
GP1818-16	18" x 18"	16 pillows	16 boxes	25 gallons

Socks are great for surrounding drums and machinery to contain and absorb hydrocarbon-based fluids (oil, water, gasoline, diesel, etc) while repelling water. Yellow for acids, white for hydrocarbons, and gray is universal.

socks (YS is hazmat, WS is oil-only, GS is universal)

part number	dimensions	packaging	palletizing	absorption
YS348-30	3" x 48"	30 socks	20 boxes	30 gallons
YS396-15	3" x 96"	15 socks	20 boxes	30 gallons
WS348-30	3" x 48"	30 socks	20 boxes	30 gallons
WS396-15	3" x 96"	15 socks	20 boxes	30 gallons
GS348-30	3" x 48"	30 socks	20 boxes	30 gallons
GS396-15	3" x 96"	15 socks	20 boxes	30 gallons



miscellaneous sorbents

- various sorbents that are general purpose and/or oil-only

Needlepunched polypropylene is available in both light and heavy duty construction. These mats and rolls are extremely durable and great for foot traffic and decontamination applications. They absorb oils, water, coolants, and solvents.

part number	dimensions	packaging	palletizing	absorption
NP1518-100L	15" x 18"	100 mats	36 packs	19 gallons
NP36300L	36" x 300'	1 roll	12 rolls	64 gallons
NP1518-50P	15" x 18"	50 mats	36 packs	19 gallons
NP36150P	36" x 150'	1 roll	12 rolls	64 gallons

Caution spill strips alert pedestrians to spilled fluids. They are a great replacement for a mop and bucket, and they also do great in an industrial application to replace absorbent socks..

part number	dimensions	packaging	palletizing	absorption
YSS740-30P	7.5" x 40"	30 strips	40 packs	30 gallons

Universal camouflage mats absorb oils, water, coolants, and solvents. The camouflage pattern disguises messy spills. These sorbents are perfect for any industrial spill applications.

part number	dimensions	packaging	palletizing	absorption
CSM1518-100P	15" x 18"	100 mats	30	30 gallons
CSM30150P	30" x 150'	1 roll	18	60 gallons

Booms link together on each end, forming an absorbing barrier. They are used specifically to absorb hydrocarbon-based fluids off of the surface of water. The larger diameter boom is for moving water, and the other is for still or slow moving water.

part number	dimensions	packaging	palletizing	absorption
B510-4L	5" x 10'	4 booms	20 packs	32 gallons
B810-4P	8" x 10'	4 booms	12 packs	59 gallons

reusable pillows and socks

Reusable general purpose mat pillows are needlepunched polypropylene sleeves with super-thick, needlepunched polypropylene mat inserts. Our pillows are low-profile, dense, and extremely durable. These pillows are perfect for washing, centrifuging, wringing.



part number	dimensions	packaging	palletizing	absorption
GMP1818-16P	18" x 18"	16 pillows	24 packs	13.4 gallons
GMP1212-40L	12" x 12"	40 pillows	24 packs	14.9 gallons

Impermeable-backed mat pillows are perfect for catching drips from underneath leaky equipment, roofs, and drums. The polyethylene-coated backing is a moisture barrier that stops fluids from leaching through to the floor. This product is not recommended for washing or being centrifuged.





part number	dimensions	packaging	palletizing	absorption
GMPX1212-40L	12" x 12"	40 pillows	24 packs	14 gallons
GMPX1818-16P	18" x 18"	16 pillows	24 packs	12.6 gallons

Reusable socks are filled with rolled geotextile matting that will not shift. They are super durable, so they can be washed/centrifuged/wrung and re-used over and over again.



wring,
wash, or
centrifuge



part number	dimensions	packaging	palletizing	absorption
GSM348-16P	3" x 48"	16 socks	18 packs	18 gallons

emergency response spill kits



SPILL KITS are containers/bags filled with various sorbents and accessory spill products. Place them in areas where oil or chemicals could potentially spill, near open water, or surrounding drains. Contaminated soil and waterways are costly to the environment and can be financially devastating for a company. Not being prepared is not an option.

Our spill kits are available in four different sized containers. Choose between oil-only, universal, or hazmat, depending on the fluids in your facility.

95 gallon container

- 1 95-gallon Overpack, 100 Pads (15" x 18"), 12 Socks (3" x 4'), 8 Socks (3" x 12'), 8 Pillows (18" x 18"), 3 Disposal Bags w/Ties, 1 Emergency Response Guidebook, 1 Pair Nitrile Gloves

WSK95 (oil-only)
GSK95 (universal)
YSK95 (hazmat)

65 gallon container

- 1 65-gallon Overpack, 50 Pads (15" x 18"), 10 Socks (3" x 4'), 5 Socks (3"x10'), 6 Pillows (18" x 24"), 3 Disposal Bags w/Ties, 1 Emergency Response Guidebook, 1 Pair Nitrile Gloves

WSK65 (oil-only)
GSK65 (universal)
YSK65 (hazmat)

20 gallon container

- 1 20-gallon Lab Pack, 15 Pads (15" x 18"), 4 Socks (3" x 4'), 1 Sock (3" x 12'), 2 Pillows (18" x 18"), 3 Disposal Bags w/Ties, 1 Spill Caution Sign, 1 Emergency Response Guidebook, 1 Pair Nitrile Gloves

WSK20 (oil-only)
GSK20 (universal)
YSK20 (hazmat)

trucker kit

- 10 Pads (15" x 18"), 3 Socks (3" x 4'), 2 Disposal Bags w/Ties, 1 Pair Nitrile Gloves

WSKTRK (oil-only)
GSKTRK (universal)



chemical compatibility guide for polypropylene sorbents

	oil-only products universal / hazmat			oil-only products universal / hazmat			oil-only products universal / hazmat	
acetaldehyde		x	cyclohexane	x	x	naphthalene	x	x
acetic acid		x	detergents		x	nitric acid (70%)		x
acetic anhydride		x	dichlorobenzene	x	x	nitrobenzene		x
acetone	x	x	diethylamine	x	x	nitrobenzoic acid	x	x
acetyl chloride		x	diethyl ether	x	x	nitrotoluene	x	x
acrolein	x	x	diethyl phthalate	x	x	octane	x	x
acrylonitrile		x	dinitrobenzene	x	x	oleic acid	x	x
acrylic acid		x	dioxan		x	olive oil	x	x
acrylic emulsions		x	ether	x	x	paraffin	x	x
allyl alcohol		x	ethyl acetate	x	x	perchloroethylene	x	x
aminobenzoic acid		x	ethyl alcohol	x	x	petroleum ether	x	x
ammonia (anhydrous)	x	x	ethyl benzene	x	x	phenol		x
ammonium hydroxide	x	x	ethyl chloride	x	x	phosphoric acid		x
amyl acetate	x	x	ethyl ether	x	x	plating solutions		x
amyl alcohol		x	ethyl propionate	x	x	potassuim hydroxide (50%)		x
aniline		x	ethylene glycol		x	propanol		x
antifreeze		x	formaldehyde		x	propionic acid	x	x
aqua regia		x	formic acid		x	propyl alcohol	x	x
aviation fuel	x	x	fuel oil	x	x	propylene glycol	x	x
benzene	x	x	gasoline	x	x	quinoline		x
benzoic acid		x	gearbox oil	x	x	resorcinol		x
benzonitrile		x	glacial acetic acid		x	salt solutions (metallic)		x
benzyl chloride		x	glycerol		x	silicone oil	x	x
benzyl alcohol		x	heptane	x	x	silver nitrate		x
boric acid		x	hexane	x	x	soap solution (concentrated)	x	x
brake fluid	x	x	hydrazine		x	sodium bicarbonate		x
bromine		x	hydrochloric acid (37%)		x	sodium chloride		x
butyl acetate	x	x	hydrofluoric acid (48%)		x	sodium hydroxide (20%)		x
butyl alcohol	x	x	hydrogen cyanide	x	x	sodium hypochlorite		x
butyric acid	x	x	hydrogen peroxide (30%)		x	sodium nitrate		x
butylamine		x	isobutyl alcohol	x	x	stannic chloride		x
calcium hydroxide		x	isobutyl acid	x	x	starch		x
carbolic acid		x	isopropyl acetate	x	x	styrene	x	x
carbon disulfide		x	isopropyl alcohol	x	x	sucrose		x
carbon tetrachloride	x	x	kerosene	x	x	sulfuric acid (50%)		x
castor oil	x	x	ketones	x	x	synthetic motor oil	x	x
chlorine water		x	linseed oil	x	x	tannic acid		x
chloroacetic acid		x	lubricating oil	x	x	toluene	x	x
chlorobenzene		x	magnesium hydroxide		x	transformer oil	x	x
chloroform	x	x	methyl alcohol	x	x	trichloroethylene	x	x
chromic acid (50%)		x	methyl chloride	x	x	triethylene glycol	x	x
chlorosulfonic acid		x	methyl ether	x	x	turpentine	x	x
citric acid		x	methyl ether ketone	x	x	urine		x
clorox (full strength bleach)		x	methyl propionate	x	x	vinyl acetate	x	x
corn oil	x	x	mineral oil	x	x	vinegar		x
cottonseed oil	x	x	motor oil	x	x	xylene	x	x
cresol	x	x						

General purpose pillows and socks should only be used to absorb non-aggressive fluids, such as oils, water, coolants, and solvents.

DISCLAIMER: Suggestions by Source One and its affiliates or its dealers for possible end uses, and for installation techniques, are made solely for the convenience of the customer and for their choice and are not intended to, and shall not imply any representation or warranties since the manner of use and handling are beyond our control.



P.O. Box 171586
Spartanburg, SC 29301



864-574-7832
864-574-2131 (fax)



info@source1.us.com



www.source1.us.com



innovative solutions for commercial and residential projects and applications